

new arrivals 2025

FRECAN
sinks and faucets




ampla

NEW

60€

AMPLA 60

Reference	Finish	P.V.R
30636	Stainless Steel 18/10	420 €



Cabinet
70

BE

EN

OE

Total dimensions	640 x 440 (r=10)
Cut-out dimensions BE	600 x 400 (r=12)
Cut-out dimensions EN	641 x 441 (r=10,5)
Cut-out dimensions OE	630 x 430 (r=11)
Bowl dimensions	600 x 400 x 200 (r=12)
(Space-saving siphon included)	

Optional accessories

C22 P1 E2 S2 S3 S12 D5 D7 D3 R1 V6






kera

KERA SE

Reference	Dimensions	Finish	P.V.R
30638	570	Cacao	395 €
30637	790	Cacao	445 €




Total dimensions	570 x 500	790 x 500
Cut-out dimensions	550 x 480	770 x 480
Bowl dimensions	500 x 400 x 200 (r=5)	720 x 400 x 200 (r=5)

Optional accessories

C22 P1 E2 S2 S3 S12 D6-D10 N1-N3 R1 V3

NEW






kera

KERA BE

Reference	Dimensions	Finish	P.V.R
30640	540	Cacao	415 €
30639	760	Cacao	485 €



Cabinet
60-80


BE

Total dimensions	540 x 440	760 x 440
Cut-out dimensions	500 x 400 (r=5)	720 x 400 (r=5)
Bowl dimensions	500 x 400 x 200 (r=5)	720 x 400 x 200 (r=5)

Optional accessories

C22 P1 E2 S2 S3 S12 D6-D10 N1-N3 R1 V3

NEW




cross

Availability April 2025



CROSS-E

Ref.	Finish	Type	P.V.R
40266	PVD Titanium	Removable	690 €



Minimum distance from wall	10 mm.
Spout swivel	360°
Control knob rotation	90°
Control rotation	Left: 90° Right: 0°
Flow rate	8 l/min.





vita nua

Availability April 2025


DECORATIVE



NEW

VITA NUA-E

Ref.	Finish	Type	P.V.R
40265	Matt black	Removable	375 €
40264	Matt white	Removable	375 €



Minimum distance from wall	20 mm.
Spout swivel	360°
Control knob rotation	90°
Control rotation	Left: 80° Right: 10°
Flow rate	12 l/min.






ligno

Availability April 2025



LIGNO

Ref.	Finish	Type	P.V.R
40267	Stainless Steel	Retractable	625 €



Minimum distance from wall	40 mm.
Spout swivel	360°
Control knob rotation	90°
Control rotation	Left: 45° Right: 45°
Flow rate	9 l/min.





new arrivals 2025

FRECAN
sinks and faucets

www.frecan.com
info@frecan.com